OFFICE OF THE STATE CONTROLLER PERSONNEL/PAYROLL SERVICES DIVISION



Deduction Input Miscellaneous Transformation Interface Information Package



REVISION HISTORY							
REVISION #	DATE OF RELEASE	OATE OF RELEASE OWNER SUMMARY OF CHA					
1.0	10/13/10	Khalid Salman Mohammed	Original Content				
1.1	11/18/10	Liz James	Updated the Introduction section				

TABLE OF CONTENTS

I.	INTRODUCTION	4
II.	GENERAL INFORMATION	5
III.	TECHNICAL INFORMATION	6
IV.	RECORD FORMAT	7
V.	FILE DEFINITIONS	8-9
VI.	FIELD VALIDATIONS	10-11

I. INTRODUCTION

This inbound interface file is used to establish, change and/or delimit miscellaneous deductions for all employees on Infotype 0014 (Recurring Payments/Deductions).

This inbound file will be transformed into the SAP format which then will be loaded in to MyCalPAYS using the load utility program.

II. GENERAL INFORMATION

The following general requirements must be met in order to participate in the interface process:

- Continue to operate and maintain departmental system beyond Go-Live.
- Set in place internal business practice changes or perform required system updates to departmental internal system(s) to support the interface.
- Support testing activities for the interface.

III. TECHNICAL INFORMATION

- The file is generated in a single file format.
- File format used is ACSII text.
- Format is a fixed length.
- Server Type: Secure File Transfer Protocol (SFTP).

IV. RECORD FORMAT

Frequency	□ Daily □ Weekly □ Bi-weekly ☑ Monthly □ Ad-hoc □ Annually □ Other:
Direction	
Source System	The vendors sends the Miscellaneous deduction transaction Input source file to SCO.
Target System	SAP ECC
Classification of Data	☐ Confidential ☐ Sensitive
Data Volume Estimate	☐ One-time: records ☐ Recurring: records every
Scheduled	Automatic
Data Time Period	□ Daily □ Weekly □ Bi-weekly □ Monthly □ Annually □ Other: □ Record Selection Scope: □ New or Changed Records □ All records
Selection Method of Records	Allow user to select Automatic (rules defined below) Other:
Deleted Data	
Future Transactions	Future transactions allowed?
Retroactive Transactions	Retroactive transactions allowed?

V. FILE DEFINITIONS

Target (SAP) Field Requirements		Mapping Requirements	Source (Legacy) Field Requirements						
SAP Table & Field	Туре	Max. Length	Field Description	Mapping Rule	Source Field Name	Туре	Max. Length	Optional?	Comments
				Though this field will be					
				included in the input file, our					
				SAP interface program will					
				ignore it.	Transaction Code	CHAR	3	X	
				Based on SSN on input file,					
			Personnel	look up PA0002-PERID to get					
PA0014-PERNR	NUMC	8	Number.	the corresonding PERNR.	Social Security Number	CHAR	9		
				Our SAP interface program					
				will ignore this, as our key to					
				IT0014 is just PERNR	First Initial	CHAR	1	X	
				Our SAP interface program					
				will ignore this, as our key to					
				IT0014 is just PERNR	Middle Initial	CHAR	1	Χ	
				Our SAP interface program					
				will ignore this, as our key to	Surname (first 3				
				IT0014 is just PERNR	characters only)	CHAR	3	X	
				Based on legacy Deduction	Deduction Code	CHAR	3		
				Code and Org Code, look up					
				custom table					
				ZHT_MAP_WAGETYPE to get					
				the corresponding SAP Wage					
PA0014-LGART	CHAR	4	Wage Type.	Type (LGART)	Organization Code	CHAR	3		

PA0014-BETRG	CURR	13.2	Amount.		Deduction Amount	CHAR	7		
			Deduction						
			Type. A flag						
			that identifies						
			to SAP whether	Deduction Type 1 = "Enroll"					
			this will be a	(i.e. Create in SAP terms)					
			Create (F5) or Change to	Deduction Type 2 = "Cancel" (i.e. Delimit in SAP terms)					
			IT0014 via	Deduction Type 3 = "Change"					
ZACTI	CHAR	3	trans PA30	(i.e. Delimit, then Create)	Deduction Type	CHAR	1		
	<u> </u>			(nor bonning their create)	2 dadionon i y pe	U	_		
					e:#	01145			
				Ignore	Filler	CHAR	1	Х	
				See page 5 of functional spec for logic to determine what					Jan = 01, Feb
PA0014-BEGDA	DATS	8	Start Date.	BEGDA to use.	Pay Period Month	CHAR	2		= 02, etc
1710011 BEGB/1	D/(13	<u> </u>	otare bate.	See page 5 of functional spec	r dy r criod ivionali	CHAIR			02, 010
				for logic to determine what	Pay Period Year (ex:				
PA0014-ENDDA	DATS	8	End Date.	ENDDA to use.	2008 = 8)	CHAR	1		
				See page 4 of functional spec					
			Payment	for logic to determine how to					
PA0014-MODEL	CHAR	4	Model	find the payment model.					
				Ignore	Filler	CHAR	19	Х	
					Employee's Surname				
				Ignore	(full)	CHAR	15	Х	
				Ignore	Filler	CHAR	131	Х	

VI. FIELD VALIDATION

The output of this transformation FS should be in the form of below IT 0014 template using the data mapping spreadsheet attached above in this section.

Info-Type 0014 (Recurring Payments and Deductions):

Templates have been designed for creating the tab delimited files for the loading process. The template is color coded. These colors have the following meaning:

- Gray **DO NOT FILL** these are in the template for structural consistency only. These fields will not be explained further as they should not be used.
- Red these are required fields.
- Blue/Purple these are optional. However, please make note that an amount must be entered for the row to have any relevance.

Data Element	Use/Description
RP50G-PERNR	Employee number (PERNR)
P0014-ENDDA	Effective start of the validity of the record
P0014-BEGDA	Effective end of the validity of the record
	This is the wage type that will be paid or
P0014-LGART	deducted from the employee
P0014-OPKEN	DO NOT USE
Q0014-BETRG	Amount to be paid or deducted
P0014-WAERS	Currency – set as USD
P0014-ANZHL	Number
Q0015-EITXT	Unit
DO NOT USE Q0014-INDBW	DO NOT USE
P0014-ZDATE	DO NOT USE
P0014-ZFPER	DO NOT USE

P0014-ZANZL	DO NOT USE
P0014-ZEINZ	DO NOT USE
P0014-ZUORD	Assignment Number (free form text field)
P0014-UWDAT	DO NOT USE
P0014-MODEL	Payment model defines which period(s)
	the wage types will be processed for based
	on customer configuration.
COBL-KOSTL	Cost Center if override being done
COBL-BUKRS	Company code if override being done
	Key if more than one entry can be made
	for a wage type on the same day for an
	employee. If it is the first entry leave
	blank. And for additional entries
P0014-SEQNR	increment by 1 (e.g. 01, 02, 03)
	This field will represent whether the
	record needs to be added, deleted or
	modified. The allowable values for this
	field:
	INS Insert
	DEL Delete
ZACTI	MOD Modify